

The background of the entire image is a photograph of a modern, multi-story house at night. The house features large glass windows and doors, revealing a well-lit interior with contemporary furniture. The exterior is clad in dark wood panels. In the foreground, there is a swimming pool on the left and a wooden deck with lounge chairs on the right. The scene is illuminated by warm interior and exterior lighting, creating a cozy and sophisticated atmosphere. The Woodmart logo is positioned in the upper left corner, consisting of a stylized icon above the company name and tagline.

WOODMART
DUURZAAM INVENTIEF

**TERRACE AND FACADE
SYSTEMS**

NATURAL BEAUTY

and innovative quality

WoodMart introduces a new generation of natural facade systems suitable for every architectural project.

WoodMart new facade system is a modern material for facade cladding, soffit lining, as well as for creating elegant exterior and interior solutions.

The innovative protective layer - **Protect 360°** - ensures that Legro Natural products are absolutely resistant to fading, staining and weathering.

Therefore, the new WoodMart Natural facade system come with a 25-year warranty, even in regions with high humidity and solar activity.





AESTHETICS

The material's modern appearance is conveyed through its rich colors, varied multi-tonal coloring, and brushed surface technology, reminiscent of elite woods.

MINIMAL MAINTENANCE

Unlike natural wood, WoodMart Natural facade boards do not require annual treatment with special products and retain their excellent appearance without additional care.

DURABILITY

The material is highly durable, moisture-resistant, mold-resistant, and termite-resistant. It also retains its original appearance in high solar activity conditions.

ECO-FRIENDLY

WoodMart products do not contain any kind of a toxic substance, glues, heavy metals or other harmful compounds. They are composed of 90% recycled materials, such as wood shavings (60%) and purified polymer (30%). Additionally, they include various stabilizing additives (10%), which have been certified for quality and safety by several European laboratories. These products are completely safe for human health and are an excellent choice for those who are environmentally conscious.

WoodMart Panels

LEGRO FS 21




LEGRO FS 15



ADVANTAGES



FS 15 FACADE PANELS LEGRO NATURAL




These versatile panels have a wide range of applications, including facade cladding, soffit lining, and framing window and door openings in an elegant manner. They can be combined with FS 15 to create stunning decorative accents and highlight the unique design of a building.

LEGRO NATURAL FS 15



25
YEARS
WARRANTY

	Facade profile AC 20 (walnut, teak, golden maple)	89.5*45*3600
	Starter profile AC 10 (walnut, teak, golden maple)	60*43*3600
	Corner (walnut, teak, golden maple)	60*60*3600
	F - profile (WPC+aluminum) (walnut, teak, golden maple)	70*40*2500
	Aluminum profile	20*40*3000
	Aluminum profile	40*32*3600
	Facade clip	36*25*7.2
	Stainless steel self-tapping screw	25*4

Area of one board	0,505 m ²
Weight of one m ²	16.28 kg/m ²
External width	150 mm
Usable width	140 mm
Standard length	3600 mm
Number of clips/m ² With 50 cm lag spacing	18 pcs/m ² . 8 pcs per board


WALNUT



TEAK



GOLDEN MAPLE



FS 21 FACADE PANELS LEGRO NATURAL




Legro Natural FS21 is a versatile panel that can be used for various purposes, such as facade cladding, soffit cladding, and framing around windows and doors. You can combine it with FS15 to create a striking decorative design that highlights the uniqueness of your building.

LEGRO NATURAL FS 21


	Facade profile AC 20 (walnut, teak, golden maple)	89.5*45*3600
	Starter profile AC 10 (walnut, teak, golden maple)	60*43*3600
	Corner (walnut, teak, golden maple)	60*60*3600
	F - profile (WPC+aluminum) (walnut, teak, golden maple)	70*40*2500
	Aluminum profile	20*40*3000
	Aluminum profile	40*32*3600
	Facade clip	36*25*7.2
	Stainless steel self-tapping screw	25*4

25
YEARS
WARRANTY


Area of one board	0,725 m ²
Weight of one m ²	13.3 kg/m ²
External width	210 mm
Usable width	200 mm
Standard length	3600 mm
Number of clips/m ² With 50 cm lag spacing	14 pcs/m ² / 8 pcs per board




WALNUT



TEAK



GOLDEN MAPLE





WOODMART ADVANCED INSTALLATION SYSTEM

EASY INSTALLATION

Thanks to the availability of all the necessary kit components, the installation is now easier and more convenient. This reduces installation time and costs and helps to avoid the need to purchase individual components.

AESTHETIC APPEARANCE

The installation system is designed with aesthetics in mind, making it possible to achieve an attractive facade appearance. The system's components fit together harmoniously, creating smooth lines and clear transitions that give the building an elegant and cohesive look.


COMPENSATING THERMAL GAPS

The installation system includes a special clip with thermal compensation gaps. These gaps allow the facade to expand or contract without creating unwanted tension due to temperature changes.

RELIABILITY

This installation system ensures that the facade elements are firmly fastened, which guarantees their reliability and stability even in unfavorable operating conditions. This is particularly important in case of harsh weather conditions or high wind loads.

SHORT DIAGRAM OF VERTICAL INSTALLATION OF FACADE BOARDS



The above options are only a visualization of the use of components. Please read before installation full installation instructions or watch the video by scanning the QR code.



FACADE PANELS
LEGRO FS 15 TEAK

HARMONY OF STYLE

Legro Natural façade board is perfectly combined with Legro Natural decking board.

This makes it possible to create a unified style and visual integrity in the exterior of a house or building.







WOODMART
DUURZAAM INVENTIEF

Plesmanstraat 31
3905KZ - Veenendaal
+31 85 250 2703

www.woodmart.nl
info@woodmart.nl